



# SPRAYTAK - AF069 DCM FREE MULTI PURPOSE ADHESIVE

## PRODUCT DESCRIPTION

- A sprayable DCM free multipurpose adhesive. AF069 is quick drying and has a long open time. AF069 is suitable for use single sided in lightweight and low demand applications such as asbestos abatement, fabrics and other lightweight materials.

## DIRECTIONS FOR USE

- This product is designed to be applied single or double sided, for best results, the temperature of the adhesive and the surfaces being bonded should be between 60 °F – 80°F (16°C – 27°C)
- Use with adequate ventilation.
- Prior to use, check compatibility by spraying a small test patch of the adhesive on the substrate. This product may degrade some substrates.

## STORAGE

### HANDLING & STORAGE

- Consult Material Safety Data Sheet prior to use.
- Do not store at temperatures over 50°C/122°F.
- Avoid exposure to direct sunlight.
- Do not incinerate.
- Do not store directly on concrete floor.
- Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.
- For optimum performance, store at 18°C during use, but must always be above 10°C.
- Replace cap after use to protect actuator / valve.
- Use only in well ventilated areas.
- Always test product to determine suitability for your particular application prior to use in production.

## CHEMICAL TECHNICAL DATA

Viscosity CPS	50 -100
Total Solids	30%
Colour	Clear
Coverage m2 500ml	1.5
Coverage m2 22ltr	N/A
Coverage m2 110ltr	N/A
System Flammability	Flammable solvent in a flammable propellant
Temp. Resistance	70 °C
Flash off	1 - 2 minutes
Open Time	30 minutes
Application Temperature	15 – 27°C
Direction for use	Single or Double sided
Shelf Life	18 months from date of manufacture
Health & Safety	See MSDS

## SPECIAL PRECAUTIONS

Allow substrates to acclimatise to normal room temperature (18°C) for 48 hours before bonding. Do not exceed open time of the adhesive. If adhesive is expelled wet or as a jet, canister is too cold – move to warm environment and allow to thoroughly acclimatise before reusing.

MSDS and Technical Data Sheets MUST be read and understood before use. Information contained in this technical literature is believed to be accurate and offered in good faith for the benefit of the consumer. Quin Global (UK) Ltd. cannot assume any liability or risk involved in the use of its chemical products since the conditions of use are beyond our control. Statements concerning the possible use of our products are not intended as recommendations to infringe on any patent. **These products are for industrial use only.**